
## TEN MOLESWORTH STREET

Dublin 2







## Ten Molesworth Street, Dublin 2

A new landmark building at the heart of Dublin's business and cultural life





# The most prestigious address in Dublin


Designed to reflect its prestigious environment and the rich heritage of the surrounding area, this prominent building is located on the corner of Molesworth Street and South Frederick Street and comprises of 115,000 sq ft of modern Grade A office space set over seven floors with generous roof terraces and private gardens.





Ten Molesworth Street is a thoughtful evolution of the Georgian buildings that surround it; a building that is at home in its historic surrounds, yet completely modern in every way.





## First class location

- 1. St Stephen's Green
- 2. The Mansion House
- 3. Dawson Street
- 4. Grafton Street
- 5. Trinity College
- 6. Liberty Hall
- 7. The Custom House
- 8. Irish Financial Services Centre
- 9. River Liffey

#### TEN MOLESWORTH STREET

- 11. The National Gallery
- 12. The National Library
- 13. Leinster House
- 14. The National Museum
- 15. Kildare Street
- 16. The Shelbourne Hotel

# **Exceptional design** and superior craftsmanship

Renowned Dublin architects Henry J. Lyons have combined contemporary design with superior craftsmanship and meticulous attention to detail to produce a unique building finished to exceptionally high standards.

The striking double height entrance is framed in Portland stone and bronze detailing. The elevations are finished in a combination of handmade Coleford brick, Portland stone and full height, floor-to-ceiling windows incorporating finely honed stone fins.







# Highest environmental credentials

THE FIRST NEW OFFICE BUILDING IN IRELAND TO TARGET LEED PLATINUM STANDARD WITH BER A3 BUILDING ENERGY RATING

The emphasis on sustainability and energy efficiency in the design of the building, underwritten by LEED accreditation, ensures that building occupiers can minimize both operational costs and environmental impact. This sustainable approach also helps to boost human performance and individual well-being.

The tangible benefits for occupiers of this BER A3 rated building, compared to buildings with the current BER B1 rating, include the following:

- 33% reduced energy consumption
- 34% reduction in carbon emissions
- 20% renewable energy provided by CHP (Combined Heat and Power Unit)
- 40% reduction in water usage through rainwater harvesting and low water usage sanitary fittings





## An inspirational space

The quality of design and attention to detail is reflected in the elegance of the double height reception. The rich mixture of travertine marble flooring, bronze and Portland stone finishes combine to create a unique space that will inspire.

A fitting backdrop to a major installation by the renowned Irish artist, Joseph Walsh.







# The perfect canvas for a renowned Irish artist

Joseph Walsh has been commissioned to create a major art installation to form the centrepiece of the double height reception of Ten Molesworth Street.

The proposed sculpture will wrap the atrium space moving around and above the users. The intention is to create a sculpture that engages the user, with its powerful sweeping presence and delicate frayed layering playing with the light within the space.



"I believe we can enhance the quality of our lives by surrounding ourselves with objects that possess values beyond their function or aesthetic."


JOSEPH WALSH







Bright, expansive floor plates are largely column-free with natural light from all elevations.













## A natural advantage

The private landscaped garden at Ten Molesworth Street provides a unique amenity in the heart of Dublin 2. The southerly aspect of the garden is complemented by an elegant lawn and sunken garden that offers occupiers of the building a peaceful space removed from the bustle of the city.



## **Connected Spaces**

All floors are served by four 21 person high speed Schindler passenger lifts incorporating destination controls.


An impressive glazed atrium provides an attractive link between the ground floor reception, the courtyard gardens and the lower ground floor spaces.







## **Unrivalled tenant facilities**






12 showers




128 bicycle bays

Basalt and travertine stone finishes to the bathrooms combine to offer generously appointed facilities finished to the highest standards.

#### Male and female locker rooms






Gym facilities

### DETAILS THAT MAKE THE DIFFERENCE

The building amenity area is located at basement level. It provides a gym area, extensive shower facilities, toilets, changing and separate drying room facilities.







### First class location

#### **Restaurants/Cafes**

- 1 Patrick Guilbaud
- 2 Pearl Brasserie
- 3 Pig's Ear
- 4 Bang
- 5 L'Ecrivain
- 6 Diep le Shaker
- 7 Marco Pierre White
- 8 Fire
- 9 Ely Wine Bar
- 10 II Posto
- 11 Peploe's
- 12 One Pico
- 13 Dunne & Crescenzi
- 14 Fallon & Byrne
- 15 The Greenhouse
- 16 Amuse Restaurant
- 17 Shanahan's on the Green

#### Hotels

- 18 The Shelbourne
- 19 The Merrion
- 20 The Westbury
- 21 Brooks Hotel
- 22 Trinity Lodge
- 23 Cliff Townhouse
- 24 O'Callaghan Hotel

#### Lifestyle

- 25 Fitzwilliam Square
- 26 Merrion Square
- 27 St Stephen's Green
- 28 Grafton Street
- 29 Powerscourt Centre
- 30 St Stephen's Green Centre
- 31 Wicklow Street
- 32 The Spa at The Shelbourne
- The Buff Day Spa
- 34 South King Street
- 35 South William Street
- 36 Duke Street
- 37 Clarendon Street
- 38 Fade Street
- 39 George's Street Arcade
- 40 Himalayan Beauty

#### Cultural

- 41 RHA Gallery
- 42 The Gaiety Theatre
- 43 The National Gallery
- The Douglas Hyde Gallery
- 45 National Museum of Ireland
- 46 Taylor Galleries
- 47 The National Library
- 48 National Concert Hall
- 49 Science Gallery
- 50 Dublin Castle
- 51 Royal College of Physicians
- 52 Alliance Française
- 53 Mansion House
- 54 Trinity College Dublin

### **Transport Key**

- Luas Green Line
- Luas Red Line
- Luas Cross City Line
- Irish Rail
- DART
- Dublin Bus
- M Dublin Bike Station
- Taxi Rank

### **Transport Links**

Dublin Bus (1 min walk)

Dublin Bikes (on your doorstep)

LUAS Dawson Street (1 min walk)

LUAS St. Stephen's Green (3 mins walk)

DART Pearse Street (7 mins walk)

Irish Rail Pearse Street (7 mins walk)

Aircoach (1 min walk)

Taxi Ranks (on your doorstep)

Multi-Storey Car Parks (on your doorstep)

Port Tunnel (20 mins drive)

Dublin Airport (35 mins drive)




**Dublin's most fashionable neighbourhood** *The city at its very best* 



Ten Molesworth Street is at the heart of Dublin's vibrant city life and a short walk to all transport services. Convenience and enjoyment combine in this unique location.




















There are few parts of Dublin that can offer such a rich variety of cafés, bars, hotels, restaurants and eateries.









Entertain and unwind in Dublin's premier shopping district, finest parks, renowned theatres, museums, galleries and concert halls.






## **Schedule of Areas**

## Total of 115,260 sq ft over 7 floors


	FLOOR AREAS		TERRA	CES	GARD	DEN	
Fifth	11,270 sq ft 1,	,047 sq m	721 sq ft	67 sq m			
Fourth	13,024 sq ft 1,	,210 sq m	4,919 sq ft	457 sq m			
Third	19,547 sq ft 1,	,816 sq m					
Second	19,547 sq ft 1,	,816 sq m					
First	18,213 sq ft 1,	,692 sq m					
Ground	17,717 sq ft 1,	,646 sq m			2,734 sq ft	254 sq m	
Lower Ground	15,941 sq ft 1,	,481 sq m					
Total	115,260 sq ft 1	0,708 sq m	5,640 sq ft	524 sq m	2,734 sq ft	254 sq m	
Basement -1	36 car parking spac	ces, 128 Bicycle bays, 2 mo	otorbike spaces, gy	m area, 12 showers, ch	nanging/locker rooms and	d separate drying ro	ooms
Basement -2	Setanta Public Car	Setanta Public Car Park managed by Q Park offers a further 225 car parking spaces and 5 motorbike spaces					



# FLOOR PLANS SCHEDULE


**Ground Floor** 

FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		



## **Lower Ground Floor**


FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		






## First Floor

FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		




## **Second and Third Floors**

FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		



**Fourth Floor** 

FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		



## Fifth Floor


FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		



## **Basement -1**

36 car spaces
128 bicycle spaces
12 showers
Gym facility
Changing rooms
Drying rooms
Security room

FLOOR	SQ FT	SQ M
Fifth	11,270	1,047
Fourth	13,024	1,210
Third	19,547	1,816
Second	19,547	1,816
First	18,213	1,692
Ground	17,717	1,646
Lower Ground	15,941	1,481
Basement -1		





## POTENTIAL SPACE PLANS

# PLANS & SPECIFICATIONS

## **Technology Layout**


## Typical 2nd or 3rd Floors

19,547 sq ft / 1,816 sq m

Open Plan Workspaces: 177 Single Cellular Offices: 3

Total: 180

Density: 110 sq ft / 10 sq m per person





## **Professional**

## Typical 2nd or 3rd Floors


19,547 sq ft / 1,816 sq m

Shared Cellular Offices: 54 Single Cellular Office: 1 Open Plan Workspaces: 71

Total: 126

Density: 155 sq ft / 14.4 sq m per person

SETANTA PLACE



JTH FREDERICK STREET


## Typical 2nd or 3rd Floors

19,547 sq ft / 1,816 sq m

Open Plan Workspaces: 214 Single Cellular Offices: 2

Total: 216

Density: 90 sq ft / 8.4 sq m per person





## **Summary Specification**

- Natural stone and handmade brick facades
- 2.75m floor-to-ceiling height
- 1.5m planning grid
- Column-free floor plates
- 4.0 (+1) kN/sq m office floor loading
- 1:8 base occupancy (person/sq m)
- Category 'A' fit-out
- 4 pipe fan coil air conditioning
- Average lift waiting time <25 seconds</li>
- 4 x 21 person passenger lifts
- 1 x 1,250kg goods lift
- 25 W/sq m small power base load
- Essential services standby generator
- 36 car parking spaces
- 128 bicycle spaces
- 12 showers
- Locker facilities
- Drying room
- LEED 'Platinum' rating targeted
- BER A-3 rating targeted
- Rainwater harvesting
- 8,500 sq ft of terraces and gardens 7.3% of lettable floor area





IPUT are committed to designing a building around people while achieving the highest international standards for sustainable design and responsible construction.

Ten Molesworth Street is the first 'new build' office development in Ireland to target LEED Platinum with a Building Energy Rating of A3.

Leadership in Energy and Environmental Design (LEED) certification provides an internationally recognized independent verification of a building's green features allowing for design, construction, operations and maintenance of resource-efficient, high-performing, healthy and cost-effective buildings.

#### LEED Platinum Features:

- Secure cyclist parking, shower and locker facilities promoting sustainable transport
- Dublin Bikes Scheme within close proximity
- A3 Building Energy Rating (BER)
- Combined Heat and Power Unit (CHP) delivering 20% renewable energy
- Detailed energy modelling to validate the proposed energy cost savings
- 8,000 sq ft green roof minimizing heat island effect
- Energy efficient infrastructure to serve each tenant space
- Energy efficient LED lighting with sophisticated daylight controls to minimise electrical consumption
- Comprehensive commissioning and testing to ensure energy efficient operation
- Specification of low water usage sanitary fittings and inclusion of rainwater harvesting systems.

## **Detailed Specification**

#### **OCCUPANCY**

Means of escape: 1 person per 6 sq m
Internal climate: 1 person per 8 sq m
Lift provision: 1 person per 8 sq m
Sanitary provision: 1 person per 8 sq m\*

Toilet ratio: 60% male & 60% female provision

to BS6465-1 2006 + A1 2009

#### **PLANNING MODULE**

1.5m square generally throughout

#### STRUCTURAL GRID

12m x 9m generally

#### **FLOOR LOADINGS**

Office floors: 4.0kN per sq m (+ 1kN per sq m partitions)

Lift lobby &

toilet areas: 4.0kN per sq m External terraces: 5.0kN per sq m Plant rooms: 7.5kN per sq m

Areas of roof

outside plant areas: 1.5kN per sq m Car park: 2.5kN per sq m

Bicycle storage

& shower area: 3.0kN per sq m

#### **FLOOR HEIGHTS**

Reception

floor to ceiling: 6.2m at front and 2.75m at rear

Office slab-to-slab: 3.75m

Office floor to

ceiling generally: 2.75m

Raised floor zone: nominal 150mm

(top of structural slab to top of finished floor level)

Ceiling light zone: nominal 150mm

(underside of steel to finished ceiling level)

Structure generally: 150mm composite slab on 550mm

deep fabricated beams

#### STRUCTURE

The structure is steel-framed with lateral stability provided by the concrete core. Perimeter columns are generally on a 9m module. The office floor plates are clear spanning from the core to the facade. The frame sets back from the 4th to 5th floors to create a generous terrace to the perimeter of the building.

#### **EXTERNAL FINISHES**

The facade is composed of a palette of high quality natural materials consisting primarily of brick, stone and glass. The bricks are handmade traditional stock bricks manufactured by Coleford Brick & Tile in a blended red colour range with off-white mortar joints. The bricks will be laid in a Flemish bond, in keeping with many of the surrounding Georgian buildings.

The stonework to the street elevations is Portland Whitbed with a smooth rubbed finish and with thin bed mortar joints in a colour to match the stone. The stone cladding to the courtyard elevations is honed Jura Limestone. The external vertical fins to the 4th and 5th floor are pre-cast concrete to match Portland Stone. The windows to the street elevations are composed of large structurally glazed units with glass-to-glass joints. The glazing to the courtyard elevations will be composed of full-height structurally glazed curtain walling. All windows will be highly efficient double glazed units with solar control coatings. The main entrance will be a full-height glazed revolving door and the glazed screens to the South Fredrick Street side of the entrance lobby will have feature bronze framing.

#### **EXTERNAL LANDSCAPING**

Large external courtyard at ground floor level of 254 sq m with extensive high quality planting and natural stone finishes. Generous stone paved roof terraces at 4th and 5th floor levels with a total area of 524 sq m. The external areas equate to approximately 7.3% of the Net Internal Area.

#### **INTERNAL OFFICE FINISHES**

Walls: Emulsion-painted dry lining

Floors: 600mm x 600mm access flooring medium duty

Columns: Emulsion painted plasterboard encasement

Metal suspended ceiling system to suit 1,500mm square planning module. Perforated 1,200mm x 300mm ceiling tiles with linear plasterboard margins. System to incorporate light fittings, diffusers, smoke detectors, illuminated signage, etc. System achieves RW rating of 30dB. Painted plasterboard

margins will incorporate slot diffusers and down lighting

#### RECEPTION

Ceiling:

Floors: Large format travertine tiled floor with a honed finish

Internal walls: Portland stone / Bronze panels

Reception Art

Installation: Commission undertaken by Joseph Walsh

Ceilings: Plasterboard with illuminated recess detailing and acoustic

plasterboard above the seating area

Reception desk: A bespoke unit of high-quality to the main reception

<sup>\*</sup> Provision has been made in the services design to allow tenants to install additional toilets adjacent to Core 2 if required.

#### **LIFT LOBBIES**

Walls: Large format natural stone wall cladding to the lift core walls

Floors: Large format travertine tiled floor and skirting

Ceiling: Plasterboard ceiling with illuminated recess detail

Doors: Low-profile framed glass doors to the office accommodation

**TOILETS** 

Walls: Basalt stone, full-height mirrors and painted plasterboard

Floors: Large format travertine tiled floor and skirting

Ceilings: Dry lining with emulsion paint; recessed periphery

lighting troughs

Doors: Timber doorsets finished in high quality lacquer

WC cubicles: Timber veneered full height toilet cubicles

Vanity units: Natural stone counter top with inset white vitreous china

wash hand basin and motion controlled mixer-tap. Bespoke mirror over, incorporating under mirror illumination and

concealed paper towel dispenser beneath

Sanitary ware: Wall hung WC pans and urinals with concealed cisterns

#### **SHOWERS**

12 No. showers adjacent to the bike storage, split as follows:

6 male and 6 female including 1 wheelchair accessible in each; with associated lockers and toilets.

#### PASSENGER LIFTS

Manufacturer: Schindler
Size: 4 No. 21 person
Lift speed: 1.6m per second

Internal lift finish: Coloured backed glass walled interior with mirrored rear wall

and travertine flooring. Brushed stainless steel lift car doors/control panel with ceilings, back lit and edge illumination

Waiting time: Passenger lift peak average interval is less than 25 seconds.

Destination Control included. One of the four passenger lifts performs as a fire fighting lift. A separate goods lift of

1,250kg capacity is located in the core

#### **MECHANICAL INSTALLATIONS**

Fresh air provided by two Central AHUs in Plant Area. Exhaust Air extracted via ceiling plenum. Heat Exchange incorporated. The office space is cooled and heated by a 4-pipe Fan Coil System located in the ceiling void. The Reception Area is fully air-conditioned along with Lift Lobbies.

#### **Design Parameter:**

#### **Winter Temperature**

Outside: -3°C db saturated

Internal Office: 21°C ±2°C. No RH Control

Toilets: 21°C. No RH Control

Reception: 21°C ±2°C. No RH Control

#### **Summer Temperature**

Outside: 26°C db 19.5°C wb

Internal Office: 22°C ±2°C. De-humid control only

Toilets: 22°C ±2°C. No RH Control

Reception: 21°C ±2°C. De-humid control only

#### Fresh Air Supply

Offices: 10 litres / sec / person at 1 person per 8m<sup>2</sup>
Toilets: 10 Air Change / hr / Extract plus make-up air

#### **Acoustics Level**

Office Open Plan: NR38
Toilets: NR45
Staircores: NR45
Reception Area: NR40

#### **Water Services**

24 hour Water Storage at 45L/person

Rainwater Harvesting for WC and Urinal Flushing

#### **ELECTRICAL INSTALLATIONS**

The building has a dedicated ESB Substation and provision for a Single Tenant MV Supply or Multi-Tenant LV Power Supply.

Two Distribution Boards are provided on each floor for Tenant use.

#### **Design Criteria**

One Person per 8m²

Lighting: 7w per sq m
Small Power: 25w per sq m
Misc. Small Power: 20w per sq m
Mechanical Plant: 35w per sq m

#### Lighting

Offices: Energy efficient LED Modular Recessed Dimmable

Luminaires Selection to comply with the Design

Intent of CIBSE Lighting Guide LG7

Reception: Bespoke Lighting Design to reflect

high quality Reception Area

Toilets: Low Energy Lighting Scheme provided

#### **Lighting Control**

The main tenant lighting control system will utilise lighting control modules connected on a communication network to allow daylight and occupancy control. This system will be programmable for any reasonable future fit-out requirement. Smaller landlord areas will be provided with standalone presence / lighting control sensors. Emergency Lighting to IS 3217.

#### **Standby Power**

Life Safety Generator installed by Landlord with provision for full load Generation for Single Occupancy Use.

#### **BUILDING MANAGEMENT SYSTEM**

A complete Building Management System will control all primary Mechanical Plant and Environmental Systems on each floor. The system will be open network to allow interfaces with other systems.

#### **PROTECTIVE INSTALLATION**

#### Fire Alarm System

Fire Detection and Alarm is in accordance with IS 3218 and designed to L-1 Standard. There are individual loops to each Tenant Floor.

#### **Security Systems**

An IP based CCTV system will monitor external areas and entrance foyer. Empty conduit will be provided at core / tenancy doors, for future tenant access control system to interface with base build access control / security system at the reception and future security turnstiles.

#### Communication

Two incoming telecommunication rooms will be served by two different Telecom duct networks to allow diverse connections to the building. Each of these communication rooms has 3 spare ducts in addition to the Telecom service to the street for future connections to other providers. Cable tray distribution will be provided from these telecommunication rooms to IT risers which serve the office floors.

#### **LEED & BER**

The building is targeting LEED Platinum and a BER A-3 Rating. This is a 34% improvement on current Building Regulations.

#### **ACCESSIBILITY**

Step-free access is provided to the office accommodation from the internal circulation spaces.

Accessible WC's are provided on each floor.

An accessible shower and changing room is provided at basement level adjoining the cycle storage.

#### **CAR & BICYCLE PARKING**

Car parking spaces: 36 (including 2 No. accessible spaces)

Bicycle spaces: 128 secure spaces located at basement level

#### **GOODS LIFT**

There is a dedicated 1,250 kg goods lift with direct external access from Setanta Place and provides access to all office floors.

## **About IPUT**

Established in 1967, IPUT is the largest domestic owner of prime office buildings in Dublin's central business district. IPUT's portfolio contains many of the best examples of modern office developments constructed in Ireland over the last decade and primarily comprises landmark office properties fronting onto Dublin's River Liffey and the Grand Canal Docks. The built heritage of Dublin's core office market is also well represented with significant office holdings in the portfolio located on and near St. Stephen's Green.

IPUT has been the leading domestic investor in the Dublin office market over the last three years and owns a portfolio with a net asset value of €1.6 billion. Offices comprise 65% of the IPUT portfolio with the Fund controlling 1.85 million sq ft of office space in Dublin, occupied by leading domestic and international companies.

For more details visit **iput.com** 



25-28 North Wall Quay, IFSC, Dublin 1



One Grand Canal Square, Dublin 2



Riverside Two, Sir John Rogerson's Quay, Dublin 2



Riverside One, Sir John Rogerson's Quay, Dublin 2

## ROFESSIONAL TEAM

## **Professional Team**

Developer:	IPUT plc
Architect:	Henry J Lyons Architects
Contractor:	P J Hegarty & Sons
Structural Engineer & Sustainability Consultants:	O'Connor Sutton Cronin
Building Services:	Homan O'Brien
Quantity Surveyor:	Bruce Shaw
Landscape Design:	Cameo and Partners
Fire Safety System:	Michael Slattery Associates
Lighting Designers:	ARUP

## **Joint Agents**



+353 1 673 1600

www.jll.ie

LRN 002273



+353 1 634 2466

www.knightfrank.ie

LRN 001266

**Deirdre Costello** 

T: +353 1 673 1600 deirdre.costello@eu.jll.com **Declan O'Reilly** 

T: +353 1 634 2466

declan.ore illy @ie.knight frank.com

**Ger Carr** 

T: +353 1 673 1600 ger.carr@eu.jll.com **Paul Hanly** 

T: +353 1 634 2466 paul.hanly@ie.knightfrank.com

#### **Important Notice**


These particulars are issued by HT Meagher O'Reilly trading as Knight Frank and JLL Ireland on the understanding that all the negotiations are conducted through them. Whilst every care has been taken in the preparation of these particulars, they do not constitute an offer or contract. All descriptions, dimensions, references to condition, permissions or licenses of use or occupation, access and other details are for guidance only, they are given in good faith and believed to be correct, and any intending purchaser/tenant should not rely on them as statements or representation of fact but should satisfy themselves (at their own expense) as to the correctness of the information given. Prices are quoted exclusive of VAT (unless otherwise stated) and all negotiations are conducted on the basis that the purchaser/lessee shall be liable for any VAT arising on the transaction. Neither HT Meagher O'Reilly trading as Knight Frank, JLL Ireland or any of their employees have any authority to make or give any representation or warranty in respect of this property.

## 10MOLESWORTHSTREET.COM



AN **IPUT** BUILDING







## 10MOLESWORTHSTREET.COM



AN **IPUT** BUILDING